



HSDPA 3.5G MOBILE COMMUNICATION ROUTER

GLOBAL MOBILE BROADBAND

3.5G mobile protocol lets you take your broadband connection with you wherever you go.

ADVANCED FIREWALL AND VPN

IPSec VPN tunnels and WPA/WPA2 wireless encryption ensure that your information remains secure when working from remote locations.

VOICE CALLING

A standard RJ-11 jack allows you to connect your favorite telephone and make mobile phone calls.



WIRELESS NETWORKING ON THE GO

The D-Link HSDPA 3.5G Mobile Communication Router allows users to access worldwide mobile broadband networks. Once connected, users can transfer data, stream media, send SMS messages, and make mobile phone calls. Simply insert your UMTS/HSDPA SIM card, and share your 3.5G Internet connection through a secure 802.11g wireless network or using any of the four 10/100 Ethernet ports.

CONVENIENT VOICE FEATURES

While accessing your 3.5G Internet connection, you will still have the ability to answer incoming mobile calls and respond to SMS messages. An RJ-11 jack allows you to attach a standard analog phone for high-quality mobile calls over a GSM network. Enjoy the comfort and convenience of your favorite office phone anywhere you go.

ADVANCED NETWORK SECURITY

Keep your wireless network safe with WPA/WPA2 wireless encryption. The DIR-455 utilizes dual-active firewalls (SPI and NAT) to prevent potential attacks across the Internet, and supports up to five concurrent IPSec VPN tunnels.

SIMPLE TO INSTALL AND USE

The 3.5G Mobile Communication Router can be installed quickly and easily almost anywhere. This router is great for situations where an impromptu wireless network must be set up, or wherever conventional network access is unavailable. The DIR-455 can even be installed in buses, trains, or boats, allowing passengers to check e-mail or chat online while commuting.



WHAT THIS PRODUCT DOES

The 3.5G HSDPA Mobile Communication Router allows you to connect to a 3.5G mobile network and share a 3.5G mobile connection with PCs and wireless devices within the area. The router can be used with an analog phone to make mobile phone calls over GSM. Firewall and VPN features are also included for secure remote connections.

BENEFITS

- Provides high-speed connectivity in areas without conventional 802.11 wireless access
- Compatible with a wide-range of mobile service networks
- Supports WAN failover for persistent connections

YOUR NETWORK SETUP



TECHNICAL SPECIFICATIONS

GSM BAND (GSM/GPRS/EDGE)

- 850 / 900 / 1800 / 1900 MHz
- Power Class 4 (850 / 900 MHz)
- Power Class 1 (1800 / 1900 MHz)

UMTS/HSDPA BAND *

- 850 / 1900 / 2100 MHz
- Power Class 3

DATA RATES **

- 6/9/11/12/18/24/36/48/54Mbps in 802.11g mode
- 1/2/5.5/11Mbps in 802.11b mode

STANDARDS

- 802.11g
- 802.11b
- 802.3
- 802.3u

WIRELESS SECURITY

- 64/128-bit WEP (Wired Equivalent Privacy)
- WPA & WPA2 (Wi-Fi Protected Access)

FIREWALL

- Network Address Translation (NAT)
- Stateful Packet Inspection (SPI)

VPN

- L2TP/PPTP/IPSEC VPN Pass-through
- 5 Dedicated IPsec tunnels

ANTENNA

- 3 Internal antennas

* Supported frequency band is dependent upon regional hardware version.

** Data rates are theoretical. Data transfer rate depends on network capacity and signal strength.

PORTS

- 4 x LAN (RJ-45)
- 1 x WAN (RJ-45)
- 1 x Phone (RJ-11)

USIM SLOT

- Standard 6-pin SIM card interface

LED STATUS INDICATORS

- WPS
- WAN
- LAN
- WLAN
- 2G/2.5G
- 3G/3.5G
- SMS
- Signal

DIMENSIONS (L x W x H)

- 184 x 125 x 30 mm

OPERATING TEMPERATURE

- 0° to 40°C (32° to 104°F)

OPERATING HUMIDITY

- 10%-90% (Non-condensing)

CERTIFICATION

- CE
- FCC



D-Link Corporation
 No. 289 Xinhu 3rd Road, Neihu, Taipei 114, Taiwan
 Specifications are subject to change without notice.
 D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries.
 All other trademarks belong to their respective owners.
 ©2009 D-Link Corporation. All rights reserved.
 Release 01 (June 2009)